

INDIGO80 Handheld Indicator



	Handheld Indicator	SPARE CODE	INDIGO80	1	2	3	4	5	6	7	8
hardware	1 Power Supply Unit	USB Cable, no PSU		A							0
		Rechargeable with Euro AC-adapter		B							
		Rechargeable with UK AC-adapter		C							
		Rechargeable with US AC-adapter		D							
		Rechargeable with AUS AC-adapter		E							
accessory	2 Indicator Accessories	No Accessories		0							
		• <i>Magnetic hanger for Indigo80 handheld indicator</i>	<i>ASM214318SP</i>								<i>1</i>
	3 Connection Cables for Transmitters	No Connection Cables for Transmitters		N							
		• <i>M12-M8 Service Cable</i>	<i>262195SP</i>								<i>A</i>
hw	4 Connection Cables for Probes	No Connection Cables for Probes		0							
		• <i>M12-M12 Probe Connection Cable</i>	<i>272075SP</i>								<i>1</i>
		• <i>Flat Cable</i>	<i>CBL210493SP</i>								<i>2</i>
	5 Carrying Case	No Carrying Case		N							
		• <i>Weatherproof Carrying Case</i>	<i>ASM214759</i>								<i>A</i>
	6 Indicator color	Housing option color grey									1
		Housing option color black									2
	7 Other Options	No Other Options									N
		Japanese SW Version									A

NOTE: Selections in bold are included in the prices of the basic versions.
• Selections in *italic* are available at an extra price.

LINKS: [User Guides](#)
[Datasheet](#)
[Vaisala.com product page](#)

Example of order code with typical settings:
INDIGO80 **A 7 N 0 A 1 N 0**

Related Items

USB Service Cable M12-5F, RS-485
Cable, Spare Part M12/5(M)-M12/5(F), 5x0.34mm2, 1.5m, PP/PUR, BLK
Magnetic Hanger Spare Part
Indigo80 Case Packaging
Flat Cable, M12-5(M) - M12-5(F), 1m
Probe Connection Cable (M12-M12), 10 m

Part number
242659
272075SP
ASM214318SP
ASM214759
CBL210493SP
INDIGOCABLE10M

HMP80 Handheld Humidity Probe



Handheld Humidity Probe		SPARE CODE	HMP80	1	2	3	4	5	6
accessor	1 Probeset	Probe (106 mm) with HUMICAP R2C Sensor ¹ Long probe (319 mm) with HUMICAP R2C Sensor ²		N					
	2 Probe connection cables	No Cable • <i>M12-M12 Probe Connection Cable</i> 272075SP • <i>Flat probe connection cable</i>		O					
hardware	3 Filter	Sintered Stainless Steel Filter ² HM47280SP Plastic PPS Grid Filter ² DRW010276SP PPS Grid With SS Netting ² DRW010281SP Slotted MIM Filter with Membrane ¹ DRW255306SP Slotted MIM Filter with Membrane ¹ ASM214606SP							
				A					
				B					
				C					
				D					
			E						

NOTE: Selections in bold are included in the prices of the basic versions.
• *Selections in italic are available at an extra price.*

LINKS: [User Guides](#)
[Datasheet](#)
[Vaisala.com product page](#)

Example of order code with typical settings:
HMP80 N 7 E 1 S O

Related Items

Cable, Spare Part M12/5(M)-M12/5(F), 5x0.34mm2, 1.5m, PP/PUR, BLK
Slotted MIM Filter with Membrane Spare Part
Flat Cable, M12-5(M) - M12-5(F), 1m
PPS Plastic Grid Filter
Metal Coated PPS Grid Filter with Stainless Steel Mesh, Female Thread
Slotted MIM Filter Spare Part
Sintered Stainless Steel Filter, Female Thread
Indigo-compatible USB Adapter

Part number

272075SP
ASM214606SP
CBL210493SP
DRW010276SP
DRW010281SP
DRW255306SP
HM47280SP
USB2

DMP80 Handheld Dew Point Probe



		SPARE CODE		DMP80		1	2	3	4	5	6	7	8
hardware	1 Probeset	Probe with Range [-50...+60°C Td], DRYCAP[®]180S Sensor	A										
		Probe with Range [-70 ... +30°C Td], DRYCAP[®]180M sensor	B										
hardware	2 Thread	Mechanical connection, ISO G1/2" thread	G										
		Mechanical connection, NPT 1/2" thread	N										
accessory	3 Probe connection cables	No Cable	0										
		<ul style="list-style-type: none"> <i>M12-M12 Probe Connection Cable</i> <i>Flat probe connection cable</i> 				1							
accessory	5 Accessories for ISO G1/2" thread	Accessories for ISO G1/2" thread option	0										
		<i>Sampling Cell with Quick Connector and Leak Screw (DSC74)</i>											1
		<i>Sampling Cell with Female Connectors, Inlet G3/8", Outlet G1/4" ISO</i>											2
		<i>Sampling Cell with Swagelok Connectors for 1/4" Tubing (DMT242SC2)</i>											3
		<i>Two-Pressure Sampling Cell (DSC74B)</i>											4
	<i>Two-Pressure Sampling Cell with Coil (DSC74C)</i>											5	

NOTE: Selections in bold are included in the prices of the basic versions.
• Selections in *italic* are available at an extra price.

LINKS: [User Guides](#)
[Datasheet](#)
[Vaisala.com product page](#)

Example of order code with typical settings:
DMP80 **B G / A O A S O**

Related Items

Cable, Spare Part M12/5(M)-M12/5(F), 5x0.34mm2, 1.5m, PP/PUR, BLK
Flat Cable, M12-5(M) - M12-5(F), 1m
Sampling Cell DMT242SC with Female Connectors, inlet G3/8" & outlet G1/4" ISO
Sampling Cell DMT242SC2 with Swagelok Connectors for 1/4" Tubing
Sampling Cell with Quick Connector and Leak Screw
Two Pressure Sampling Cell
Two Pressure Sampling Cell with Coil
Sintered Stainless Steel Filter, Female Thread
Indigo-compatible USB Adapter

Part number

272075SP
CBL210493SP
DMT242SC
DMT242SC2
DSC74
DSC74B
DSC74C
HM47280SP
USB2

GMP252 CO2 Probe for ppm Measurements



CO2 Probe for ppm Measurements		SPARE CODE	GMP252	1	2	3	4	5	6	7	8
ACCESSORY	6 Cable	No Cable		6	1	C	O	B		H	3
		• <i>M12-M12 Probe Connection Cable (Indigo80)</i>									8
		• <i>Flat Probe Connection Cable (Indigo80)</i>									9

NOTE:	<p>Selections in bold are included in the prices of the basic versions.</p> <ul style="list-style-type: none"> <i>Selections in italic are available at an extra price.</i>
LINKS:	<p>User Guides</p> <p>Datasheet</p> <p>Vaisala.com product page</p>

Example of order code with typical settings:

		1	2	3	4	5	6	7	8
GMP252		6	1	C	O	B		H	3

Related Items

USB Service Cable M12-5F, RS-485
 Probe Mounting Clips (2 pcs)
 Probe Mounting Flange
 Connection Cable, M12-5F 90° - Open Wires, 0.6 m
 Mounting flange for GMP251 and GMP252
 Cable, Spare Part M12/5(F)-Open, 5x0.34mm2, 1.5m, PP-EPDM/PP, GRY
 Cable, Instrumentation, SH, M12/5(F) RA-Open, 5x0.34mm2, 1.5m, PP/PUR, HF, BLK
 Connection Cable, M12-5F - Open Wires, 3 m
 Flow Through Adapter Assembly GMP252 Spare Part
 Spray Shield (IPX9 Rating)
 Flat Cable, M12-5(M) - M12-5(F), 1m
 Porous Sintered PTFE Filter, Extra Protection
 Calibration Adapter
 Radiation Shield for Outdoor Use
 Radiation Shield with Mast Installation Kit
 Indigo-compatible USB Adapter
 Connection Cable, M12-5F - Open Wires, 10 m
 Connection Cable, M12-5F - Open Wires, 1.5 m

Part number

242659
 243257SP
 243261SP
 244669SP
 252346SP
 254294SP
 255102
 26719SP
 ASM212011SP
 ASM212017SP
 CBL210493SP
 DRW244221SP
 DRW244827SP
 DTR250
 DTR250A
 USB2
 216546SP
 223263SP