

**Soil
Moisture
Content**



AT

LEADING SOLUTIONS FOR SPORTS
TURF PROFESSIONALS

ML3 ThetaKit

The ThetaKit is a powerful tool for optimising turf health

The ThetaKit enables fast, precise soil moisture measurement - enabling turf health to be accurately monitored.

To achieve the best surfaces, turf professionals have many resources to call on, but knowing *where and when* to apply these resources is a major challenge. The ThetaKit provides quick, reliable data to successfully address this issue.

NEW



Use the ThetaKit to:

- Spot check soil moisture content quickly and easily
- Identify areas too dry or too wet *before* turf problems become visible
- Quantify background levels of water content that underpin good turf performance
- Schedule optimised irrigation
- Check the performance of automatic sprinklers – and the uniformity of water application

The new ML3 ThetaProbe has replaced the ML2x model. It achieves the same class-leading $\pm 1\%$ accuracy, but now has detachable cables and a restyled, compact white body.

Delta-T Devices



Regular measurement of soil moisture content allows continual assessment of grass health - giving early warning of potential problems and enabling the turf manager to take preventative action - *before* damaging physical change in the turf has occurred.

ML3 ThetaKit Features:

- Soil moisture $\pm 1\%$ accuracy
- Highly portable and easy to use
- Waterproof and rugged probe, replaceable rods
- Minimal soil disturbance
- Stores up to 1500 readings with location ID

Easy to Use:

Taking a Reading:

Step 1: Insert rods fully into the ground

Step 2: Press **Read** to take a reading → **ML3 Store?**
20.3% vol

Step 3: Press **Store** to save or **Esc** to discard reading

Step 4: Remove the probe from the soil and move to a new location for next reading

Taking regularly spaced readings across turf allows you to assess relative changes in soil moisture content over that area. *This concept is illustrated in Fig 1&2 below, where moisture levels are colour coded.*

By repeating this process regularly the behaviour/quality of your turf can be characterised against weather and management practice - allowing you to optimise quality.

ML3 ThetaKit Spot Readings - Soil Moisture Variation Across Turf (A-H)




Fig. 1




Fig. 2

Above diagrams are for illustrative purposes only.

ML3 ThetaKit Brief Specification

Range	0-100% soil water content
Accuracy	$\pm 1\%$ (for 0-50% range)
Power	9V PP3 battery (approx 5000 readings)
Sampling volume	6cm x 3cm diameter cylinder
Environmental Sealing	Waterproof (IP68 - for sensor only)
Memory	Up to 1500 readings

Delta-T Devices Ltd

130 Low Road, Burwell, Cambridge CB25 0EJ, England Tel: +44 1638 742922
sales@delta-t.co.uk www.delta-t.co.uk